

## DECLARATION No. 22/F/GPSR/2024

We,

**FAKRO Sp. z o.o.**

144a Węgierska St, 33-300 Nowy Sącz, Poland

[www.fakro.com](http://www.fakro.com)

hereby declare that the following product: **Attic Ladders (Loft Ladders) type LWF 60** comply with the requirements of **PN-EN 14975+A1:2010 „Loft ladders. Requirements, marking and testing“** standard and requirements specified in the **Regulation (EU) 2023/988 of the European Parliament and of the Council of 10 May 2023 on general product safety.**

Declared technical parameters of the product:

- Fire resistance classification (according to EN 13501-2):  
**E 60/ EI<sub>1</sub> 60/ EI<sub>2</sub> 60/ EW 60\***

\* retractable ladder on unexposed side

Test report numbers and related documents:

- Fire Resistance Expert Judgement Report with Classification FIRES-JR-078-24-NURE for loft ladders: with folding wooden ladder - type LWF, with folding metal ladder - type LMF, with steel scissors ladder - type LSF, installed in a concrete ceiling – Fire Research Laboratory Fires s.r.o. Batizovce, Slovakia – 07.03.2024.
- Fire Resistance Expert Judgement Report with Classification FIRES-JR-079-24-NURE for loft ladders: with folding wooden ladder - type LWF, with folding metal ladder – type LMF, with steel scissors ladder – type LSF, installed in a wooden ceiling – Fire Research Laboratory Fires s.r.o. Batizovce, Slovakia – 07.03.2024.
- Internal test report No. R/SCH0048/2021- 3-section, 4-section wooden loft ladder FAKRO LWF 60 – FAKRO, Poland – 24.02.2021.
- SK Technical Assessment No. SKTP/20/0005/2401 Edition 2 – issued by FIRES Institute Batizovce, Slovakia – 12.03.2024.
- SK Certificate of Constancy of Performance of the Essential Characteristics of the Product No. SK01-ZSV-0387 for the loft ladder type: LMF 60, LWF 60, LSF 60 - issued by FIRES Institute, SK Declaration of Performance No. 05/24.
- Mutual recognition declaration for the purpose of Article 4 of Regulation (EU) 2019/515 of the European Parliament and of the council – 26.03.2024.

Please note that the loft ladder is the product not covered by the harmonised standard and for which no European technical assessment has been issued. Therefore, the product is not subject to the obligation of CE marking or issue a declaration of performance.

The LWF 60 loft ladder has been legally introduced to the market in Slovakia.

According to the so-called principle of mutual recognition (REGULATION (EU) 2019/515 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 March 2019) and Polish regulations: Construction Products Act of 16 April 2004 (Journal of Laws No. 92, item 881 as amended, Article 5.3): “*A construction product not covered by the scope of harmonised technical specifications referred to in Article 2, section 10 of the Regulation No. 305/2011, can be made available on the domestic market if it has been legally introduced to the market in another EU Member State or in a Member State of the European Free Trade Association (EFTA) – party to the Agreement on the European Economic Area and in Turkey, while its functional properties make it possible to meet basic requirements by building structures designed and built in the manner specified in technical and construction regulations and in accordance with the principles of technical knowledge.*”

**FAKRO® Sp. z o.o.** -1-  
33-300 Nowy Sącz      ul. Węgierska 144a  
tel. 018 444-0-444      fax 018 444-0-333  
NIP 734-10-01-487      REGON 490008737  
BDO 000034766

Ewa Łukaszczuk-Haslik  
  
Dyrektor ds. Certyfikacji i Kontroli Jakości

Nowy Sącz, 09/12/2024

OW(26.03.2024)



FAKRO sp. z o.o.  
ul. Węgierska 144a  
33-300 Nowy Sącz  
Polska/ Poland



NIP: 7341001487  
REGON: 490008737  
BDO: 000034766



e-mail: [fakro@fakro.pl](mailto:fakro@fakro.pl)  
[www.fakro.pl](http://www.fakro.pl)



+48 18 444 0 444

